

DS-D5AC9C5-8S2 OPS Module



- Intel UHD Graphics 630, support H.265 and 4K resolution
- Support M.2 nvme system disk quick start
- Support 4 USB 3.0 ports, 2 USB2.0 ports, 1 HDMI port, 1 DP interface
- Support dual channel memory




▪ Specification

Built-in System	
Processor	Intel® Core i5 9300H
CPU Clock Speed	2.4GHz
Platform Architecture	Intel® Coffeelake
PCH	Intel® HM370
Graphics	Intel® UHD Graphics 630
Memory	4G*2
Storage	256G
NIC	Integrated 10/100/1000M Adaption
Cooling System	Single Brass & Single Fan
Interface	
Network Interface	RJ45×1
Data Transmission Interface	Bluetooth 5.0
Antenna	2
Video Output	HDMI×1, DP×1
Power	
Input Voltage	12V-19V DC
Max. Consumption	60W
Standby Consumption	0.5W
Working Environment	
Storage Temperature	-20°C - 60°C
Storage Humidity	10%-90%
Working Temperature	0°C - 40°C
Working Humidity	10%-90%
General	
Color	Black
Product Dimensions (W × H × D)	180×195×30mm
Net Weight	About 1.24kg

▪ Available Model

DS-D5AC9C5-8S2(海外标配),

▪ Dimension



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq