

DS-KH2230T(B) 4-Wire HD Indoor Station



- 4-wire HD analog indoor station
- 7-inch TFT screen with 1280 × 720 resolution
- Physical buttons design for easier operation
- Supports three indoor stations cascading in the intercom system
- Supports remote unlocking, monitoring door station and external analog camera


▪ Specification

Display parameters	
Screen size	7-inch
Operation method	Physical button
Type	Colorful TFT
Resolution	1024 × 600
Audio parameters	
Audio input	1 built-in omnidirectional microphone
Audio output	1 built-in loudspeaker
Capacity	
Linked indoor extensions capacity	2
Linked doorphone capacity	2
Analog Camera	1
Device interfaces	
DIP switch	1 Bit
Four-Wire interface	4, 2 for indoor extentions, 2 for doorphones
Power supply input	12V DC
BNC	1
Debugging port	1
General	
Button	4
Installation	Surface mounting
Indicator	/
Protective level	/
Working temperature	-10 °C to 55 °C (14 °F to 131 °F)
Working humidity	10% to 90% (no-condensing)
Dimension (W × H × D)	178 mm × 132 mm × 19 mm (7" × 5.20" × 0.75")
Battery	/
Application environment	Indoor
Power consumption	≤ 5 W

▪ Available Model

DS-KH2230T(B)

▪ Dimension



Unit:mm [inch]

SCALE	1:1
-------	-----

See Far, Go Further



www.hikvision.com
support@hikvision.com

